

Appl. No. 09/871,774

Date of Response: October 3, 2007

Response to Final Office Action Dated: April 3, 2007

RECEIVED  
CENTRAL FAX CENTER

OCT 03 2007

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

1.-11. (Cancelled)

12. (Currently Amended) ~~The apparatus of Claim 1~~ An apparatus for enclosing goods on a surface for treatment comprising:

a canopy that is substantially impermeable to flowable materials;

an upper perimeter for supporting an upper portion of said canopy;

a lower perimeter for supporting a lower portion of said canopy, said lower perimeter being moveable with respect to said upper perimeter to form a chamber;

a perimeter support for supporting said upper perimeter and lower perimeter; and

a gasket in communication with said lower perimeter, said gasket being deformable to substantially seal the chamber by compressing said gasket by the weight of the canopy against the surface and wherein the gasket has a hollow portion along its length and an inner surface in communication with the chamber, the inner surface having a plurality of perforations extending from the chamber to the hollow portion of the gasket.

13. (Original) The apparatus of Claim 12 further comprising a flowable material supply in communication with the hollow portion of the gasket.

14. (Original) The apparatus of Claim 12 wherein the flowable material supply is a cold air supply.

15.-26. (Cancelled)

27. (Currently Amended) ~~The method of Claim 25~~ A method of treating goods with a flowable material comprising the steps of:

placing the goods on a surface;

Appl. No. 09/871,774

Date of Response: October 3, 2007

Response to Final Office Action Dated: April 3, 2007

providing an apparatus comprising:

a canopy that is substantially impermeable to the flowable material;

an upper perimeter for supporting an upper portion of said canopy;

a lower perimeter for supporting a lower portion of said canopy;

a perimeter support for supporting said upper perimeter and lower perimeter; and

a gasket in communication with said lower perimeter, said gasket being deformable and wherein the gasket has a hollow portion along its length and an inner surface in communication with the chamber, the inner surface having a plurality of perforations extending from the chamber to the hollow portion of the gasket,

lowering the apparatus to form a chamber over said goods on said surface;

causing the gasket to deform against said surface to substantially seal the chamber;

treating the goods comprising injecting the flowable material into the chamber wherein and the step of injecting the flowable material into the chamber further comprises connecting a flowable material supply to the hollow portion of the gasket; and

venting the chamber.

28.-39. (Cancelled)

40. (Currently Amended) ~~The apparatus of Claim 39~~ An apparatus for enclosing goods on a surface for fumigation comprising:

a canopy that is substantially impermeable to flowable materials; an upper perimeter for supporting an upper portion of said canopy;

a lower perimeter for supporting a lower portion of said canopy, said lower perimeter to be placed in proximity to said surface;

Appl. No. 09/871,774

Date of Response: October 3, 2007

Response to Final Office Action Dated: April 3, 2007

a support structure capable of supporting said upper perimeter and lower perimeters; and

a gasket in communication with said lower perimeter, wherein said gasket is capable of being compressed by said lower perimeter against said surface to form a chamber, wherein the gasket has a hollow portion along its length and an inner surface in communication with the chamber, the inner surface having a plurality of perforations extending from the chamber to the hollow portion of the gasket.

41. (Original) The apparatus of Claim 40 further comprising a flowable material supply in communication with the hollow portion of the gasket.

42. (Original) The apparatus of Claim 41 wherein the flowable material supply is a cold air supply.

43.-55. (Cancelled)

56. (Currently Amended) ~~The apparatus of Claim 46~~ An apparatus for enclosing produce on a surface for fumigation and re-cooling comprising:

a canopy that is substantially impermeable to flowable materials; an upper perimeter for supporting an upper portion of said canopy;

a lower perimeter for supporting a lower portion of said canopy, said lower perimeter being moveable with respect to said upper perimeter to form a chamber;

a perimeter support for supporting said upper perimeter and lower perimeter;

a gasket in communication with said lower perimeter, said gasket being deformable to substantially seal the chamber by compressing said gasket against the surface;

a fumigation conduit for injecting a flowable material into the chamber;

a vent to release the flowable material from the chamber;

Appln. No. 09/871,774

Date of Response: October 3, 2007

Response to Final Office Action Dated: April 3, 2007

a means for changing a pressure within the chamber; and

a cooling conduit for supplying chilled air to the chamber, wherein the cooling conduit forms a bore along the length of said gasket, the cooling conduit having an inner surface in communication with the chamber, the inner surface having a plurality of perforations extending from the chamber to the cooling conduit.

57.-63. (Cancelled)

64. (Currently Amended) ~~The method of Claim 63~~ A method of fumigating and re-cooling produced comprising the steps of:

placing the produce on a surface;

providing an apparatus comprising:

a canopy that is substantially impermeable to flowable materials;

an upper perimeter for supporting an upper portion of said canopy;

a lower perimeter for supporting a lower portion of said canopy;

a perimeter support for supporting said upper perimeter and lower perimeter;

and

a gasket in communication with said lower perimeter, said gasket being deformable;

lowering the apparatus to form a chamber over said produce on said surface;

causing the gasket to deform against said surface to substantially seal the chamber;

injecting a first flowable material into the chamber to fumigate the produce;

Appln. No. 09/871,774

Date of Response: October 3, 2007

Response to Final Office Action Dated: April 3, 2007

venting the first flowable material from the chamber;

creating a first negative pressure within the chamber; and

supplying a second flowable material to the chamber for re-cooling the produce,  
wherein the second flowable material is supplied to the chamber via a cooling conduit in  
communication with the chamber and wherein the cooling conduit forms a bore along the  
length of said gasket, the cooling conduit having an inner surface in communication with  
the chamber, the inner surface having a plurality of perforations extending from the  
chamber to the cooling conduit, and the step of supplying the second flowable material  
further comprises connecting a chilled air supply to the cooling conduit.

65.-66. (Cancelled)